

# Quotation



CASH SALES ACCOUNT

Quotation Ref: KO/KA/21

This Quotation has been prepared for  
ACME

FAO: Mr ACME

f: 01215242325

Friday 22nd September 2017

Item No	Description	Quantity	UOM	Price(£)	UOM	Total
60593-10	UVEX UNILITE THERMO GLOVE 10	1	Pair	0.00	Pair	0.00
CARC5SY38	HIVIS YELLOW TROUSERS 38	1	Each	0.00	Each	0.00
CM0662	YELLOW SHARPS FORCEPS	1	Each	0.00	Each	0.00
CM1801	DELTA HSE 1-10 PERSON FIRST AID KIT	1	Each	0.00	Each	0.00
CARC5SY32	HIVIS YELLOW TROUSERS 32	1	Each	0.00	Each	0.00
CARC925SYNXXL	TWO TONE ARC WOVEN JACKET XXL	1	Each	0.00	Each	0.00
CARC7SY38	HIVIS YELLOW COVERALL 38	1	Each	0.00	Each	0.00
BNX2400-918003	STEPLITE X FULL SAFETY S5 GREEN 3-3.5 (36)	1	Each	0.00	Each	0.00

# UVEX UNILITE THERMO GLOVE 10

These protective safety gloves feature an extremely robust coating that remains flexible in cold temperatures. Acrylic and new wool ensure that the gloves have a particularly high level of wearer comfort and help maintain a good moisture balance

- Flexible
- Excellent dexterity
- High abrasion resistance
- Mechanical strength
- Length approx. 21 - 27 cm
- Base glove: double-layered construction of acrylic/new wool (inner) and polyamide/elastane (outer) with HPT coating (Hydropellent Technology)
- EN 388 (3 2 3 1), EN 511 (0 1 0)

Suitable for:

- Dry and slightly damp areas
- Work at low temperatures
- Refrigerated warehouses
- Forklift truck driver



## uvex

# HIVIS YELLOW TROUSERS 38

- Fire Retardant, Hi Vis, Anti-static, ARC Flash cargo style trousers.
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 7 belt loop part elastic waistband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

- EN ISO 13688:2013 - General requirements for protective clothing
- EN ISO 20471:2013 Class 2 - Test method for high visibility
- EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay
- EN 1149-5:2008 - Anti Static - Material performance and design requirements
- EN ISO 11611:2007 (Class 1 A1 A2) - Protective clothing for use in welding
- EN ISO 11612:2008 (A1 A2 B1 C1) - Protection against heat and flame

### ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements

EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing

EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm<sup>2</sup>) - Open Arc testing

- Each garment style is independently tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



Product Code:  
60593-10



Product Code:  
CARC5SY38

- Anti Static
- Arc Flash Protection
- Fire Retardant
- Hi Visibility
- Protection for Welding and Allied Processes

# YELLOW SHARPS FORCEPS

Ideal for holding and disposing of all small needles and syringes



**CLICK**  
MEDICAL

# DELTA HSE 1-10 PERSON FIRST AID KIT

Kit Contains:-

- 1 x Guidance note
- 4 x Non woven triangular bandages
- 2 x Large sterile dressing (180 x 180mm)
- 6 x Medium sterile dressing (120 x 120mm)
- 2 x Sterile eye pad dressing
- 20 x Assorted sterile waterproof plasters
- 6 x Alcohol free cleansing wipes
- 1 x Pair of disposable vinyl gloves
- 6 x Safety pins



**CLICK**  
MEDICAL

Product Code:  
CM0662

Product Code:  
CM1801

## HIVIS YELLOW TROUSERS 32

- Fire Retardant, Hi Vis, Anti-static, ARC Flash cargo style trousers.
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 7 belt loop part elastic waistband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

- EN ISO 13688:2013 - General requirements for protective clothing
- EN ISO 20471:2013 Class 2 - Test method for high visibility
- EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay
- EN 1149-5:2008 - Anti Static - Material performance and design requirements
- EN ISO 11611:2007 (Class 1 A1 A2) - Protective clothing for use in welding
- EN ISO 11612:2008 (A1 A2 B1 C1) - Protection against heat and flame

### ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm<sup>2</sup>) - Open Arc testing

- Each garment style is independently tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



## TWO TONE ARC WOVEN JACKET XXL

- Fire Retardant, Hi Vis, Anti-static, ARC Flash Jacket.
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 2 Lower pockets.
- Large qualifying icons on left arm.

- EN ISO 13688:2013 - General requirements for protective clothing
- EN ISO 20471:2013 Class 3 - Test method for high visibility
- EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay
- EN 1149-5:2008 - Anti Static - Material performance and design requirements
- EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding
- EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

### ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm<sup>2</sup>) - Open Arc testing

- Each garment style is independently tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



Product Code:  
CARC5SY32



Product Code:  
CARC925SYNXXL



## HIVIS YELLOW COVERALL 38

- Fire Retardant, Hi Vis, Anti-static, ARC Flash coverall.
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 2 hip pockets.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

- EN ISO 13688:2013 - General requirements for protective clothing
- EN ISO 20471:2013 Class 3 - Test method for high visibility
- EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay
- EN 1149-5:2008 - Anti Static - Material performance and design requirements
- EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding
- EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

### ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm<sup>2</sup>) - Open Arc testing

- Each garment style is independently tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



## STEPLITE X FULL SAFETY S5 GREEN 3-3.5 (36)

- Polyurethane: Light, flexible, long lasting
- Extra high top & wide fitting: enhanced comfort
- Steel toe cap and midsole
- Excellent grip
- Increased slip resistance: SRC approved
- Kick-off spur
- 100% waterproof
- Shock absorbing footbed
- Cushioning effect in heel
- Thermal insulation - 30°C
- Standard EN ISO 20345:2011 S5.SRC.CI



Product Code:  
CARC7SY38



Product Code:  
BNX2400-918003

